

Termék adatlap

L 32 W/840 G10Q

LUMILUX T9 C | Circular fluorescent lamps 29 mm, with G10Q base



Műszaki adatok

Elektromos adatok

ZLDV_Nominal current [AGGR]	0.45 A A
-----------------------------	----------

Fotometria i adatok

ZLDV_Light color (designation) [AGGR]	LUMILUX Cool White
ZLDV_Rated LLMF at 2,000 h [AGGR]	0.8
ZLDV_Rated LLMF at 4,000 h [AGGR]	0.74
ZLDV_Rated LLMF at 6,000 h [AGGR]	0.72
ZLDV_Rated LLMF at 8,000 h [AGGR]	0.7
ZLDV_Luminous flux [AGGR]	2100 lm

Mérete k és sú ly

ZLDV_Tube diameter [AGGR]	29 mm
ZLDV_Product weight [AGGR]	176.00 g
ZLDV_Overall length [AGGR]	299.00 mm

Élettartam

ZLDV_Service life [AGGR]	6300 h
--------------------------	--------

További termékadatok

ZLDV_Mercury content [AGGR]	4.8 mg
Ártalmatlanítás WEEE szerint	Yes

Tanúsítványok és szabványok

ZLDV_Energy efficiency class [AGGR]	G
ZLDV_Energy consumption [AGGR]	35.00 kWh/1000h

Környezetvédelmi információk

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4008321581143
Declaration No. in SCIP database	In work

Light Distribution

FL_840

Equipment / Accessories

- Suitable for operation on electronic and conventional control gears

DUO CIRCUIT

Termék adatlap

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logisztikai adatok

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méretek (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4008321581143	L 32 W/840 G10Q	Karton 12 Pieces SLEEVES	452 mm x 323 mm x 320 mm	46.72 dm ³	4293.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For more information on QUICKTRONIC electronic control gear go to
▶ www.osram.hu/QUICKTRONIC

Lemondás

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany

L 32 W/840 G10Q

LUMILUX T9 C | Circular fluorescent lamps 29 mm, with G10Q base