

HTI DALI 315 DIM

HALOTRONIC | – Dimmer modules



A termék jellemzői


- DALI trailing-edge phase dimmer
- Dimming of high voltage halogen and incandescent lamps
- Dimming of electronic transformers
- Standby power consumption: < 0.5 W
- DALI/Touch DIM control signal
- Short-circuit protection, overload protection, overtemperature protection: electronically reversible
- RI suppression: to EN 55015 (A1: 2007)
- Line harmonics according to EN 61000-3-2
- Safety: to EN 61347
- Immunity according to EN 61547
- Device fits also for special applications where dimming below 1 % is required

Műszaki adatok

Elektromos adatok

Lamp wattage	3...315 W
Névleges feszültség	220...240 V
Névleges kimeneti feszültség	220...240 V
Hálózati frekvencia [calc.]	50 Hz
System wattage	315.00 W

Méreték és súly



Hosszúság	153.0 mm
Szélesség	54.0 mm
Magasság	36.0 mm
Szerelési furattávolság, szélesség	15,0 mm
Szerelési furattávolság, hosszúság	146,0 mm
Termék súlya	137.00 g

Hőmérséklet és működési feltételek

Környezeti hőmérséklet tartomány	0...+45 °C
----------------------------------	------------

További termékadatok

Dizájn / változat	Kompakt, kábelszorítóval
-------------------	--------------------------

Képességek

Dimmelési módszer	Trailing-edge dimmer
Dimmelő interfész	Phase cut-off
Túlmelegedés védelem	Automatic reversible
Max. vezeték hossz lámpa/LED modul	100 m
Dimmelhető	Yes

Termék adatlap

Dimmelési tartomány	0.1...100 % ¹⁾
---------------------	---------------------------

¹⁾ Lámpatípustól függ (ld. see www.osram.com/dim)

Tanúsítványok és szabványok

Védettség típusa	IP20
------------------	------

Logisztikai adatok

Commodity code	85044095900
----------------	-------------

Környezetvédelmi információk

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	09-06-2023
Primary Article Identifier	4008321957344
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Equipment / Accessories

– Suitable for all OSRAM HALOTRONIC and ET-PARROT ECGs

Download Data

File	
	Installation/Operation notice 341073_HTi DALI 315 DIM Installation Guide
	CAD data 3-dim 320673_HTM 150
	CAD data 3-dim 320679_HTM 150

Logisztikai adatok

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méretek (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4008321957344	HTI DALI 315 DIM	Karton 25	260 mm x 225 mm x 292 mm	17.08 dm ³	4298.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Lemondás

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.