

OUT KIT 21 S

ECG mountings – protection housings



A termék jellemzői

- Type of protection: IP67

A termék előnyei

- Self-heating: only 5 °C higher than an open ECG

Alkalmazási területek

- Outdoor applications in which higher protection against moisture for ECG is needed
- Suitable as additional measure if luminaire does not offer IP67 protection
- Suitable for outdoor installations

Termék adatlap

Műszaki adatok

Méretetek és súly



Hosszúság	455.0 mm
Szélesség	38.0 mm
Magasság	28.0 mm
Termék súlya	120.00 g
Szerelési furattávolság, hosszúság	430,0 mm

Hőmérséklet és működési feltételek

Környezeti hőmérséklet tartomány	-25...+50 °C
----------------------------------	--------------

Logisztikai adatok

Commodity code	85480090990
----------------	-------------

Környezetvédelmi információk

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	19-01-2022
Primary Article Identifier	4008321159571
Declaration No. in SCIP database	In work

Download Data

File	
	Installation guide 334554_Instructions and safety advice for OUT KIT 30 mm x 21 mm
	CAD data 3-dim 313429_464x38x29 9900007

Termék adatlap

	CAD data 3-dim 313461_464x38x29 9900007
	CAD data 3-dim 313499_464x38x29 9900007
	CAD data PDF 313400_464x38x29 9900007

Logisztikai adatok

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méretek (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4008321159571	OUT KIT 21 S	Karton 20	486 mm x 153 mm x 195 mm	14.50 dm ³	2629.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Lemondás

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.