

SIRIUS HRI 440 W

SIRIUS HRI | High-pressure discharge lamps with reflector



Alkalmazási területek

- Architecture & Architainment

A termék előnyei

- Lightweight and compact reflector lamps
- Perfectly suited for small and lightweight moving heads
- Optimized burner design allows any burning position
- High luminance through very short arc and high pressure
- Bright light for brilliant light effects
- Long lifetime
- Easy lamp replacement
- Stable light output over the entire lifetime



Műszaki adatok

Elektromos adatok

Névleges teljesítmény	440.00 W
Névleges áram	5.3 A
Gyújtási feszültség	2,5 kVp
Névleges feszültség	83.0 V


Fotometriai adatok

Névleges fényáram	20000 lm
Színhőmérséklet	7000 K
Színvisszaadási index	80
Max. színhőmérséklet	7000 K

Fénytechnikai adatok

Fókusz távolság	41.0 mm
Apertúra nyílás, max.	8.0 mm

Méretetek és súly



Átmérő	58.0 mm
Hosszúság	71.0 mm
Ívhossz	1,3 mm

Élettartam

Élettartam	1500 h
------------	--------

További termékadatok

Category	CORE
----------	------

Képességek

Égetési helyzet	Tetszőleges
Hűtés	Kényszerített
Working distance	41 mm

Tanúsítványok és szabványok

EEL – energiacímke	A
--------------------	---

Környezetvédelmi információk

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4052899222212 4052899259096 4052899553644 4052899570566 4052899587892
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Termék adatlap

Biztonsági tanács

Because of their high luminance, UV radiation and high internal pressure during operation, SIRIUS HRI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

Logisztikai adatok

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méretek (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4052899222212	SIRIUS HRI 440 W	UNPACKED (UNPACKED SELL. UNIT) 1	600 mm x 400 mm x 163 mm	39.12 dm ³	8902.00 g
4052899222229	SIRIUS HRI 440 W	Karton 60	414 mm x 329 mm x 348 mm	47.40 dm ³	7504.00 g
4052899259096	SIRIUS HRI 440 W	Folding Box 1	87 mm x 87 mm x 103 mm	0.78 dm ³	148.00 g
4052899259102	SIRIUS HRI 440 W	Karton 2	186 mm x 96 mm x 115 mm	2.05 dm ³	342.00 g
4052899259119	SIRIUS HRI 440 W	Shipping box EAN 50 20	507 mm x 203 mm x 264 mm	27.17 dm ³	3901.00 g
4052899587892	SIRIUS HRI 440 W	Folding Box 1	87 mm x 87 mm x 103 mm	0.78 dm ³	128.00 g
4052899587908	SIRIUS HRI 440 W	Karton 2	186 mm x 96 mm x 115 mm	2.05 dm ³	302.00 g
4052899587915	SIRIUS HRI 440 W	Shipping box EAN 50 20	507 mm x 203 mm x 264 mm	27.17 dm ³	3501.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Lemondás

A változtatás jogát fenntartjuk. Hibák és mulasztások kizárva. Mindig győződjön meg arról, hogy a legújabb kiadást használja.