

## SIRIUS HRI 440 W X

SIRIUS HRI | High-pressure discharge lamps with reflector



### Alkalmazási területek

- Architecture & Architainment

### A termék előnyei

- Lightweight and compact reflector lamps
- Perfectly suited for small and lightweight moving heads
- Optimized burner design allows any burning position
- High luminance through very short arc and high pressure
- Bright light for brilliant light effects
- Long lifetime
- Easy lamp replacement
- Stable light output over the entire lifetime



Műszaki adatok

Elektromos adatok

|                       |         |
|-----------------------|---------|
| Névleges teljesítmény | 44000 W |
| Névleges áram         | 53 A    |
| Névleges feszültség   | 830 V   |

Fotometriai adatok

|                       |          |
|-----------------------|----------|
| Névleges fényáram     | 22800 lm |
| Színhőmérséklet       | 7000 K   |
| Színvisszaadási index | 80       |

Méretetek és súly

|           |        |
|-----------|--------|
| Átmérő    | 580 mm |
| Hosszúság | 710 mm |
| Ívhossz   | 1,0 mm |

Élettartam

|            |        |
|------------|--------|
| Élettartam | 1500 h |
|------------|--------|

További termékadatok

|          |            |
|----------|------------|
| Category | CUSTOMIZED |
|----------|------------|

Képességek

|                  |       |
|------------------|-------|
| Working distance | 41 mm |
|------------------|-------|

Környezetvédelmi információk

|                                                                       |                                    |
|-----------------------------------------------------------------------|------------------------------------|
| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |
| Date of Declaration                                                   | 07-03-2024                         |
| Primary Article Identifier                                            | 4062172017442                      |
| Candidate List Substance 1                                            | No declarable substances contained |
| Declaration No. in SCIP database                                      | No declarable substances contained |

## Termék adatlap

### Biztonsági tanács

Because of their high luminance, UV radiation and high internal pressure during operation, SIRIUS HRI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

### Logisztikai adatok

| Termékkód     | Termékmegnevezés   | Csomagolás<br>(darab/egység) | Méretek (hosszúság<br>x szélesség x<br>magasság) | Térfogat              | Bruttó súly |
|---------------|--------------------|------------------------------|--------------------------------------------------|-----------------------|-------------|
| 4062172017442 | SIRIUS HRI 440 W X | Folding Box<br>1             | 87 mm x 87 mm x<br>103 mm                        | 0.78 dm <sup>3</sup>  | 183.00 g    |
| 4062172017459 | SIRIUS HRI 440 W X | Karton<br>2                  | 186 mm x 96 mm x<br>115 mm                       | 2.05 dm <sup>3</sup>  | 413.00 g    |
| 4062172017466 | SIRIUS HRI 440 W X | Shipping box EAN 50<br>20    | 507 mm x 203 mm x<br>264 mm                      | 27.17 dm <sup>3</sup> | 4141.00 g   |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Lemondás

A változtatás jogát fenntartjuk. Hibák és mulasztások kizárva. Mindig győződjön meg arról, hogy a legújabb kiadást használja.