

Halogén stúdiólámpák, egy végén fejt



Alkalmazási területek


- Professional film and TV work
- Theater and concert stages
- Entertainment

A termék jellemzői


- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)




Terméksalád adatlap




341357_HALOGEN STUDIO LAMP 64670




341359_HALOGEN STUDIO LAMP 64673




341361_HALOGEN STUDIO LAMP 64716



339603_HALOGEN STUDIO LAMP 64744




339607_HALOGEN STUDIO LAMP 64756



341116_HALOGEN STUDIO LAMP 93734


Terméksalád adatlap




339605_HALOGEN STUDIO LAMP 64754



339927_HALOGEN STUDIO LAMP 64777, 64787, 64796



341112_HALOGEN STUDIO LAMP 64788



339929_HALOGEN STUDIO LAMP 64789




339931_HALOGEN STUDIO LAMP 64805



340665_HALOGEN STUDIO LAMP 64815

Termékcsalád adatlap



341114_HALOGEN STUDIO LAMP 64818

Termékcsalád adatlap

Műszaki adatok

Termékmegnevezés	Termékinformáció	Elektromos adatok	Méretek és súly			
	Rendelési hivatkozás	Névleges feszültség	Átmérő	Hosszúság	Izzószáj átmérő	Izzószáj hossz
64670 500 W 230 V	64670	230 V	23.0 mm	90.0 mm	11,0 mm	
64670 500 W 240 V	64670	240 V	23.0 mm	90.0 mm	11,0 mm	
64673 300 W 230 V	64673	230 V	18.0 mm	90.0 mm	13,0 mm	
64673 300 W 240 V	64673	240 V	18.0 mm	90.0 mm	13,0 mm	
64674 500 W 230 V	64674	230 V	18.0 mm	90.0 mm	18,0 mm	
64674 500 W 240 V	64674	240 V	18.0 mm	90.0 mm	18,0 mm	
64678 800 W 230 V	64678	230 V	19.0 mm	101.0 mm	13,0 mm	
	800W 230V					
64680 500 W 230 V	64680	230 V	22.0 mm	74.9 mm	10,0 mm	
	A1244 500					
64680 500 W 240 V	64680	240 V	22.0 mm	74.9 mm	10,0 mm	
	A1244 500					
64716 600 W 230 V	64716 GKV	230 V	19.0 mm	101.0 mm	13,0 mm	
	600W					
64716 600 W 240 V	64716	240 V	19.0 mm	101.0 mm	13,0 mm	
64717 650 W 230 V	64717	230 V	23.0 mm	90.0 mm	33,0 mm	
64717 650 W 240 V	64717	240 V	23.0 mm	90.0 mm	33,0 mm	
64718 650 W 230 V	64718	230 V	23.0 mm	90.0 mm	10,0 mm	
64718 650 W 240 V	64718 T/27	240 V	23.0 mm	90.0 mm	10,0 mm	
	GCT					
64719 650 W 230 V	64719	230 V	26.0 mm	110.0 mm	11,0 mm	
64720 650 W 230 V	64720	230 V	26.0 mm	110.0 mm	17,0 mm	
64721 650 W 230 V	64721	230 V	26.0 mm	140.0 mm	17,0 mm	
64743 1000 W 120 V	64743 FEL	120 V	20.0 mm	101.0 mm	24,4 mm	
	1000W					
64744 1000 W 230 V	64744	230 V	26.0 mm	110.0 mm	15,0 mm	
64744 1000 W 240 V	64744	240 V	26.0 mm	110.0 mm	15,0 mm	
64745 1000 W 230 V	64745	230 V	26.0 mm	110.0 mm	15,0 mm	13,00 mm
	CP/70 100					
64745 1000 W 240 V	64745	240 V	26.0 mm	110.0 mm	15,0 mm	
64747 1000 W 230 V	64747	230 V	26.0 mm	140.0 mm	15,0 mm	13,00 mm
	CP/71 FKJ					
64747 1000 W 240 V	64747	240 V	26.0 mm	140.0 mm	15,0 mm	
64752 1200 W 230 V	64752T/29	230 V	27.0 mm	125.0 mm	15,0 mm	
	FWS 12					
64752 1200 W 240 V	64752T/29	240 V	27.0 mm	125.0 mm	15,0 mm	
	FWS 12					
64754 1200 W 230 V	64754	230 V	27.0 mm	125.0 mm	15,0 mm	
64756 1200 W 230 V	64756	230 V	26.0 mm	140.0 mm	15,0 mm	
	CP/93 120					
64777 2000 W 230 V	64777	230 V	35.0 mm	175.0 mm	19,0 mm	
64787 2000 W 230 V	64787	230 V	35.0 mm	160.0 mm	19,0 mm	
	CP/75 200					

Termékcsalád adatlap

Termékmegnevezés	Termékinformáció	Elektromos adatok	Méretek és súly			
	Rendelési hivatkozás	Névleges feszültség	Átmérő	Hosszúság	Izzószál átmérő	Izzószál hossz
64788 2000 W 230 V	64788 CP72 FTM	230 V	35.0 mm	145.0 mm	19,0 mm	
64788 2000 W 240 V	64788 CP/72 200	240 V	35.0 mm	145.0 mm	19,0 mm	
64789 2000 W 230 V	64789 CP/73 FKK	230 V	35.0 mm	210.0 mm	19,0 mm	
64789 2000 W 240 V	64789	240 V	35.0 mm	210.0 mm	19,0 mm	
64796 2500 W 230 V	64796	230 V	35.0 mm	175.0 mm	19,0 mm	
64805 5000 W 230 V	64805	230 V	60.0 mm	279.0 mm	33,0 mm	26,00 mm
64805 5000 W 240 V	64805	240 V	61.0 mm	279.0 mm	33,0 mm	
64815 10000 W 230 V	64815	230 V	80.0 mm	380.0 mm	35,0 mm	
64818 20000 W 230 V	64818	230 V	100.0 mm	550.0 mm	50,0 mm	
93723 1200 W 80 V	HP 1200W 80V G2	120 V	25.4 mm	120.7 mm	12,7 mm	
93734 1000 W 240 V	93734	240 V	20.0 mm	102.0 mm	27,0 mm	

Termékmegnevezés	Élettartam	További termékadatok	Képességek	Ország-specifikus kategorizálás
	Élettartam	Lámpafej (szabványos megjelölés)	Égetési helyzet	ANSI kód
64670 500 W 230 V	300 h	GY9.5	s90	GCV/GVH
64670 500 W 240 V	300 h	GY9.5	s90	GCV/GVH
64673 300 W 230 V	200 h	GY9.5	Tetszőleges	FSL
64673 300 W 240 V	200 h	GY9.5	Tetszőleges	FSK
64674 500 W 230 V	200 h	GY9.5	Tetszőleges	FRH
64674 500 W 240 V	200 h	GY9.5	Tetszőleges	FRJ
64678 800 W 230 V	250 h	G9.5	s90	Other
64680 500 W 230 V	50 h	GY9.5	Tetszőleges	Other
64680 500 W 240 V	50 h	GY9.5	Tetszőleges	Other
64716 600 W 230 V	250 h	G9.5	s90	GKV
64716 600 W 240 V	250 h	G9.5	s90	GKV
64717 650 W 230 V	150 h	GY9.5	s90	FRL
64717 650 W 240 V	150 h	GY9.5	s90	Other
64718 650 W 230 V	400 h	GY9.5	s90	GCK/GCT
64718 650 W 240 V	400 h	GY9.5	s90	GCK/GCT
64719 650 W 230 V	750 h	GX9.5	s90	Other
64720 650 W 230 V	100 h	GX9.5	s90	Other
64721 650 W 230 V	100 h	G22	s90	FKH
64743 1000 W 120 V	300 h	G9.5	Tetszőleges	FEL
64744 1000 W 230 V	750 h	GX9.5	s90	FWP
64744 1000 W 240 V	750 h	GX9.5	s90	FWP
64745 1000 W 230 V	200 h	GX9.5	s90	FVA

Termékcsalád adatlap

	Élettartam	További termékadatok	Képességek	Ország-specifikus kategorizálás
Termékmegnevezés	Élettartam	Lámpafej (szabványos megjelölés)	Égetési helyzet	ANSI kód
64745 1000 W 240 V	200 h	GX9.5	s90	FVA
64747 1000 W 230 V	200 h	G22	s90	FKJ
64747 1000 W 240 V	200 h	G22	s90	FKJ
64752 1200 W 230 V	400 h	GX9.5	s90	FWS
64752 1200 W 240 V	400 h	GX9.5	s90	FWS
64754 1200 W 230 V	200 h	GX9.5	s90	Other
64756 1200 W 230 V	200 h	G22	s90	Other
64777 2000 W 230 V	400 h	G22	s90	Other
64787 2000 W 230 V	400 h	G22	s90	Other
64788 2000 W 230 V	400 h	GY16	s90	FTM
64788 2000 W 240 V	400 h	GY16	s90	FTM
64789 2000 W 230 V	400 h	G38	s90	FKK/FKP
64789 2000 W 240 V	400 h	G38	s90	FKK/FKP
64796 2500 W 230 V	400 h	G22	s90	Other
64805 5000 W 230 V	400 h	G38	s90	Other
64805 5000 W 240 V	400 h	G38	s90	Other
64815 10000 W 230 V	350 h	G38	Other	Other
64818 20000 W 230 V	350 h	G38	Other	Other
93723 1200 W 80 V	300 h	G22	Other	Other
93734 1000 W 240 V	300 h	G9.5	Tetszőleges	FEP

Termékmegnevezés	LIF	Logisztikai adatok	Környezetvédelmi információk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
		EAN 10 of contained light source	Date of Declaration	Primary Article Identifier
64670 500 W 230 V	T/25	4008321624017	25-04-2022	4008321624017
64670 500 W 240 V	T/25	4008321624031	25-04-2022	4050300283449 4008321624031
64673 300 W 230 V	CP/81	4052899015463	25-04-2022	4008321099785 4052899015463
64673 300 W 240 V	CP/81	4052899015487	25-04-2022	4008321099808 4008321131263 4052899015487
64674 500 W 230 V	CP/82	4052899015500	25-04-2022	4008321099822 4052899015500
64674 500 W 240 V	CP/82	4052899015524	25-04-2022	4008321099846 4052899015524
64678 800 W 230 V		4008321624055	25-04-2022	4050300609102 4008321624055
64680 500 W 230 V	A1/244	4008321098573	25-04-2022	4008321098573
64680 500 W 240 V	A1/244	4008321098597	25-04-2022	4008321098597
64716 600 W 230 V		4008321623973	25-04-2022	4008321623973
64716 600 W 240 V		4008321623997	25-04-2022	4008321623997

Termékcsalád adatlap

Termékmegnevezés	LIF	Logisztikai adatok	Környezetvédelmi információk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
		EAN 10 of contained light source	Date of Declaration	Primary Article Identifier
64717 650 W 230 V	CP/89	4008321624215	25-04-2022	4050300296692 4008321624215
64717 650 W 240 V	CP/89	4008321624239	25-04-2022	4008321624239
64718 650 W 230 V	T/27	4008321624253	25-04-2022	4008321624253
64718 650 W 240 V	T/27	4008321624277	25-04-2022	4008321624277
64719 650 W 230 V	T/12	4008321638076	25-04-2022	4008321638076
64720 650 W 230 V	CP/23	4008321638090	25-04-2022	4050300017716 4008321638090
64721 650 W 230 V	CP/39	4008321638113	25-04-2022	4008321638113
64743 1000 W 120 V		4008321225702	25-04-2022	4008321225702
64744 1000 W 230 V	T/19	4008321554833	25-04-2022	4008321554833
64744 1000 W 240 V	T/19	4008321554857	25-04-2022	4008321554857
64745 1000 W 230 V	CP/70	4008321468611	25-04-2022	4008597083105 4008321468611
64745 1000 W 240 V	CP/70	4008321468659	25-04-2022	4008321088901 4008321468659
64747 1000 W 230 V	CP/71	4008321468635	25-04-2022	4008321046949 4008321468635 4062172147071
64747 1000 W 240 V	CP/71	4008321468741	25-04-2022	4008321116895 4008321468741
64752 1200 W 230 V	T/29	4008321624475	25-04-2022	4008321624475
64752 1200 W 240 V	T/29	4008321624499	25-04-2022	4008321624499
64754 1200 W 230 V	CP/90	4008321624529	25-04-2022	4008321624529
64756 1200 W 230 V	CP/93	4008321624550	25-04-2022	4008597000379 4050300296722 4008321624550
64777 2000 W 230 V	CP/92	4008321632197	25-04-2022	4008321632197
64787 2000 W 230 V	CP/75	4008321653994	25-04-2022	4008321653994
64788 2000 W 230 V	CP/72	4008321632173	25-04-2022	4008321632173
64788 2000 W 240 V	CP/72	4008321632180	25-04-2022	4050300283258 4008321098870 4008321632180
64789 2000 W 230 V	CP/73	4008321654021	25-04-2022	4050300219103 4008321654021
64789 2000 W 240 V	CP/73	4008321654038	25-04-2022	4008321089939 4008321654038
64796 2500 W 230 V	CP/91	4008321653987	25-04-2022	4050300406428 4008321653987
64805 5000 W 230 V	CP/85	4052899129566	25-04-2022	4052899129566
64805 5000 W 240 V	CP/85	4052899129573	25-04-2022	4050300283401 4008321088895 4008321664532 4052899129573
64815 10000 W 230 V	CP/83	4050300780696	25-04-2022	4050300780696

Termékcsalád adatlap

Termékmegnevezés	LIF	Logisztikai adatok	Környezetvédelmi információk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
		EAN 10 of contained light source	Date of Declaration	Primary Article Identifier
64818 20000 W 230 V	CP/99	4008321792051	25-04-2022	4050300782713 4008321792051
93723 1200 W 80 V	CP/110	4008321370594	25-04-2022	4008321370594
93734 1000 W 240 V	CP/77	4050300350073	25-04-2022	4050300350073

Termékmegnevezés	Candidate List Substance 1	Declaration No. in SCIP database
64670 500 W 230 V	No declarable substances contained	No declarable substances contained
64670 500 W 240 V	No declarable substances contained	In work
64673 300 W 230 V	No declarable substances contained	No declarable substances contained
64673 300 W 240 V	No declarable substances contained	No declarable substances contained
64674 500 W 230 V	No declarable substances contained	No declarable substances contained
64674 500 W 240 V	No declarable substances contained	No declarable substances contained
64678 800 W 230 V	No declarable substances contained	In work
64680 500 W 230 V	No declarable substances contained	No declarable substances contained
64680 500 W 240 V	No declarable substances contained	No declarable substances contained
64716 600 W 230 V	No declarable substances contained	No declarable substances contained
64716 600 W 240 V	No declarable substances contained	No declarable substances contained
64717 650 W 230 V	No declarable substances contained	In work
64717 650 W 240 V	No declarable substances contained	No declarable substances contained
64718 650 W 230 V	No declarable substances contained	No declarable substances contained
64718 650 W 240 V	No declarable substances contained	No declarable substances contained
64719 650 W 230 V	No declarable substances contained	No declarable substances contained
64720 650 W 230 V	No declarable substances contained	In work
64721 650 W 230 V	No declarable substances contained	No declarable substances contained
64743 1000 W 120 V	No declarable substances contained	No declarable substances contained

Termékcsalád adatlap

Termékmegnevezés	Candidate List Substance 1	Declaration No. in SCIP database
64744 1000 W 230 V	No declarable substances contained	No declarable substances contained
64744 1000 W 240 V	No declarable substances contained	No declarable substances contained
64745 1000 W 230 V	No declarable substances contained	In work
64745 1000 W 240 V	No declarable substances contained	No declarable substances contained
64747 1000 W 230 V	No declarable substances contained	In work
64747 1000 W 240 V	No declarable substances contained	No declarable substances contained
64752 1200 W 230 V	No declarable substances contained	No declarable substances contained
64752 1200 W 240 V	No declarable substances contained	No declarable substances contained
64754 1200 W 230 V	No declarable substances contained	No declarable substances contained
64756 1200 W 230 V	No declarable substances contained	In work
64777 2000 W 230 V	No declarable substances contained	No declarable substances contained
64787 2000 W 230 V	No declarable substances contained	No declarable substances contained
64788 2000 W 230 V	No declarable substances contained	No declarable substances contained
64788 2000 W 240 V	No declarable substances contained	In work
64789 2000 W 230 V	No declarable substances contained	In work
64789 2000 W 240 V	No declarable substances contained	No declarable substances contained
64796 2500 W 230 V	No declarable substances contained	In work
64805 5000 W 230 V	No declarable substances contained	No declarable substances contained
64805 5000 W 240 V	No declarable substances contained	No declarable substances contained
64815 10000 W 230 V	No declarable substances contained	No declarable substances contained
64818 20000 W 230 V	No declarable substances contained	In work
93723 1200 W 80 V	No declarable substances contained	No declarable substances contained
93734 1000 W 240 V	No declarable substances contained	No declarable substances contained

Termékcsalád adatlap

Biztonsági tanács

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Használati tanácsok

További részletes alkalmazási információkat és grafikákat a termék adatlapján talál.

References / Links

A summary of studio lamps can be found on the halogen studio lamps poster.
For more information on halogen lamps for studio, stage and TV see the brochure:
"Good news for show business"
"Halogen High Voltage Lamps" cross reference list

Lemondás

A változtatás jogát fenntartjuk. Hibák és mulasztások kizárva. Mindig győződjön meg arról, hogy a legújabb kiadást használja.