

Halogénlámpák reflektorral, áram-vezérelt, 45...48 W




A termék előnyei

- Reduced operation and maintenance costs due to long lifetime
- Instant and constant light output over the lamp life
- Flicker-free operation
- Mercury-free

A termék jellemzői

- Dimmable
- Available with connector combinations A, B, C/Z on request
- Infrared radiation output that provides light in the worst of conditions



Termékcsalád adatlap

Műszaki adatok

Termékmegnevezés	Termékinformáció	Elektromos adatok		Fotometriai adatok		Méretek és súly
	Rendelési hivatkozás	Lamp current	Névleges teljesítmény	Fényerősség	Tengelyirányú fényerősség	Átmérő
64337 A 45-15	64337	66 A	4500 W	19000 cd ²⁾	21000 cd	504 mm
64337 B 45-15	64337	66 A	4500 W	19000 cd ²⁾	21000 cd	504 mm
64337 A 48-15	64337	66 A	4800 W	20000 cd	23000 cd	504 mm
64337 B 48-15	64337	66 A	4800 W	20000 cd	23000 cd	504 mm
64337 C 48-15	64337	66 A	4800 W	20000 cd	23000 cd	504 mm
64338 AC 48-10	64338	66 A	4800 W	23000 cd	27000 cd	502 mm
64337 IRC-C 48-30 ¹⁾	64337	66 A	4800 W	20000 cd	23000 cd	504 mm

Termékmegnevezés	Hosszúság	Hossz fejfel, csapok/csatlakozó nélkül	Élettartam	Képességek	Környezetvédelmi információk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
			Élettartam	Égetési helyzet	Date of Declaration
64337 A 45-15	450 mm	45,00 mm	1500 h	Vízszintes	05-03-2024
64337 B 45-15	450 mm	45,00 mm	1500 h	Vízszintes	05-03-2024
64337 A 48-15	450 mm	45,00 mm	1500 h	Vízszintes	05-03-2024
64337 B 48-15	450 mm	45,00 mm	1500 h	Vízszintes	05-03-2024
64337 C 48-15	450 mm	45,00 mm	1500 h	Vízszintes	05-03-2024
64338 AC 48-10	440 mm	45,00 mm	1000 h	Vízszintes	05-03-2024
64337 IRC-C 48-30 ¹⁾	450 mm ³⁾	45,00 mm	3000 h	Vízszintes	05-03-2024

Termékmegnevezés	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
64337 A 45-15	4008321102515	No declarable substances contained	No declarable substances contained
64337 B 45-15	4008321104700	No declarable substances contained	No declarable substances contained
64337 A 48-15	4008321102737	No declarable substances contained	No declarable substances contained
64337 B 48-15	4008321105226	No declarable substances contained	No declarable substances contained
64337 C 48-15	4008321105240	No declarable substances contained	No declarable substances contained
64338 AC 48-10	4008321105301	No declarable substances contained	No declarable substances contained
64337 IRC-C 48-30 ¹⁾	4008321341198	No declarable substances contained	No declarable substances contained

Termékcsalád adatlap

1) Available on request

2) Minimum

3) Maximum 45.0 mm

Termékcsalád adatlap

Biztonsági tanács

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Használati tanácsok

További részletes alkalmazási információkat és grafikákat a termék adatlapján talál.

References / Links

For more information on airfield lamps see the brochure:

"The reliable guiding stars - Effective solutions for airfield lighting: Tungsten halogen lamps and LED light sources".

Lemondás

A változtatás jogát fenntartjuk. Hibák és mulasztások kizárva. Mindig győződjön meg arról, hogy a legújabb kiadást használja.