

Termékcsalád adatlap

PARATHOM MR11 12 V

Low-voltage LED reflector lamps MR11 with retrofit pin base



- Shops and exhibition rooms Domestic applications
Commercial applications Accent lighting Outdoor use in
outdoor luminaires only (minimum IP65)

- Quick, simple and safe replacement without rewiring Design, dimensions, luminous flux comparable to an incandescent or
halogen lamp Low maintenance costs thanks to long lifetime No UV and near-IR radiation in the light beam Compatible
with many common conventional and electronic control gears (see also "compatibility list") Instant 100 % light, no warm-up
time




Műszaki adatok

Termékmegnevezés	Elektromos adatok			Fotometriai adatok		Fénytechnikai adatok	Méretek és súly
	ZLDV_Claimed equiv. conventional lamp power [AGGR]	ZLDV_Operating frequency [AGGR]	ZLDV_Nominal current [AGGR]	ZLDV_Luminous intensity [AGGR]	ZLDV_Light color (designation) [AGGR]	ZLDV_Beam angle [AGGR]	ZLDV_Overall length [AGGR]
P MR11 12 V 250 W/840 GU4	20 W	50...60 Hz	310 mA	400 cd	Cool White	36 °	38.00 mm

Termékmegnevezés	ZLDV_Product weight [AGGR]	Hőmérséklet és működési feltételek	Élettartam	További termékadatok		Tanúsítványok és szabványok	
		ZLDV_Ambient temperature range [AGGR]	ZLDV_Lumen maintenance at end of service life [AGGR]	ZLDV_Mercury-free [AGGR]	ZLDV_Product remark [AGGR]	ZLDV_Energy consumption [AGGR]	ZLDV_Energy efficiency class [AGGR]
P MR11 12 V 250 W/840 GU4	17.00 g	-20...+40 °C	0.7	Yes	All technical parameters apply to the entire lamp Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value	3.00 kWh/1000h	G

Termékcsalád adatlap

Környezetvédelmi információk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
Termékmegnevezés	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
P MR11 12 V 250 W/840 GU4	18-04-2022	4058075105157 4058075636569	In work



P MR11 12 V 250 W/840 GU4

Használati tanácsok

További részletes alkalmazási információkat és grafikákat a termék adatlapján talál.

Termékcsalád adatlap

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logisztikai adatok

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méretek (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4058075105157	P MR11 12 V 250 W/840 GU4	Karton 10	188 mm x 78 mm x 55 mm	0.81 dm ³	248.00 g
4058075636569	P MR11 12 V 250 W/840 GU4	Karton 10	188 mm x 78 mm x 69 mm	1.01 dm ³	253.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further products and actual information concerning LED lamps see

▶ www.osram.hu/led-lampak

For Guarantee see [https://](https://www.inventronics-light.com/multilevel-guarantees)

▶ www.inventronics-light.com/multilevel-guarantees

Further information see

▶ www.osram.com/low-voltage-ledlamps

Lemondás

A változtatás jogát fenntartjuk. Hibák és mulasztások kizárva. Mindig győződjön meg arról, hogy a legújabb kiadást használja.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany