

Termékcsalád adatlap

PARATHOM LED PIN G9

Special LED lamps

- Atmospheric accent lighting throughout the home Shops, hotels and restaurants Outdoor applications only in suitable luminaires

- Good all-around light emission Long lifetime of up to 15,000 h Four year guarantee



Műszaki adatok

Termékmegnevezés	Elektromos adatok						
	ZLDV_Rated wattage [AGGR]	ZLDV_Nominal wattage [AGGR]	ZLDV_Nominal voltage [AGGR]	ZLDV_Operating frequency [AGGR]	ZLDV_Max. lamp no. on circuit break. 10 A (B) [AGGR]	ZLDV_Claimed equiv. conventional lamp power [AGGR]	ZLDV_Nominal current [AGGR]
P PIN 30 2.6 W/827 G9 ¹⁾	2.60 W	2.60 W	220...240 V	50/60 Hz	17	30 W	23 mA
PARATHOM LED PIN 420 W/827 G9 ¹⁾	3.80 W	3.80 W	220...240 V	50/60 Hz	11	40 W	36 mA
300 W/827 G9 ¹⁾				50/60 Hz		30 W	15 mA
PARATHOM LED PIN 480 W/827 G9 ¹⁾				50/60 Hz		48 W	40 mA

Termékmegnevezés	ZLDV_Max. lamp no. on circuit break. 16 A (B) [AGGR]	Fotometriai adatok					
		ZLDV_Nominal luminous flux [AGGR]	ZLDV_Rated luminous flux [AGGR]	ZLDV_Rated color temperature [AGGR]	ZLDV_Color rendering index Ra [AGGR]	ZLDV_Light color (designation) [AGGR]	ZLDV_Lumen main.fact.at end of nom.life time [AGGR]
P PIN 30 2.6 W/827 G9 ¹⁾	27	320 lm	320 lm	2700 K	≥80	Warm White	0.70
PARATHOM LED PIN 420 W/827 G9 ¹⁾	18	470 lm	470 lm	2700 K	≥80	Warm White	0.70
300 W/827 G9 ¹⁾						Warm White	
PARATHOM LED PIN 480 W/827 G9 ¹⁾						Warm White	

Termékmegnevezés	ZLDV_Color temperature [AGGR]	ZLDV_Standard deviation of color matching [AGGR]	Fénytechnikai adatok		Méreték és súly		
			ZLDV_Beam angle [AGGR]	ZLDV_Starting time [AGGR]	ZLDV_Overall length [AGGR]	ZLDV_Diameter [AGGR]	ZLDV_Outer bulb [AGGR]
P PIN 30 2.6 W/827 G9 ¹⁾	2700 K	≤6 sdc	300 °	< 0.5 s	47.00 mm	15.0 mm	T15
PARATHOM LED PIN 420 W/827 G9 ¹⁾	2700 K	≤6 sdc	300 °	< 0.5 s	52.00 mm	20.0 mm	T20
300 W/827 G9 ¹⁾			320 °		52.00 mm		
PARATHOM LED PIN 480 W/827 G9 ¹⁾			320 °		59.00 mm		

Termékcsalád adatlap


Termékmegnevezés	ZLDV_Length [AGGR]	ZLDV_Product weight [AGGR]	Hőmérséklet és működési feltételek	Élettartam			
			ZLDV_Ambient temperature range [AGGR]	ZLDV_Nominal lamp life time [AGGR]	ZLDV_Rated lamp life time LEDr [AGGR]	ZLDV_Number of switching cycles [AGGR]	ZLDV_Lumen maintenance at end of service life [AGGR]
P PIN 30 2.6 W/827 G9 ¹⁾	52.0 mm	6.00 g	-20...+40 °C	15000 h	15000 h	100000	0.7
PARATHOM LED PIN 420 W/827 G9 ¹⁾	58.0 mm	9.00 g	-20...+40 °C	15000 h	15000 h	100000	0.7
300 W/827 G9 ¹⁾		8.00 g	-20...+40 °C				0.7
PARATHOM LED PIN 480 W/827 G9 ¹⁾		12.00 g	-20...+40 °C				0.7

Termékmegnevezés	További termékadatok				Képességek	Tanúsítványok és szabványok	
	ZLDV_Base (standard designation) [AGGR]	ZLDV_Mercury-free [AGGR]	Utód EAN	Utód EAN	ZLDV_Dimmable [AGGR]	ZLDV_Energy efficiency class [AGGR]	ZLDV_Energy consumption [AGGR]
P PIN 30 2.6 W/827 G9 ¹⁾	G9	Yes	4058075626041	4058075811515	No	E	3.00 kWh/1000h
PARATHOM LED PIN 420 W/827 G9 ¹⁾	G9	Yes	4058075626072	4058075811812	No	E	5.00 kWh/1000h
300 W/827 G9 ¹⁾						F	3.00 kWh/1000h
PARATHOM LED PIN 480 W/827 G9 ¹⁾		Yes				E	5.00 kWh/1000h


Termékmegnevezés	ZLDV_Type of protection [AGGR]	Ország-specifikus kategorizálás	Környezetvédelmi információk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
		ZLDV_Order reference [AGGR]	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
P PIN 30 2.6 W/827 G9 ¹⁾	IP20	LEDPPIN30 CL 2,	18-04-2022	4058075811515 4058075626041	In work
PARATHOM LED PIN 420 W/827 G9 ¹⁾	IP20	LEDPPIN40 CL 3,	18-04-2022	4058075811812 4058075626072	In work
300 W/827 G9 ¹⁾			23-06-2022	4058075622890	In work
PARATHOM LED PIN 480 W/827 G9 ¹⁾			18-04-2022	4058075271845 4058075622234	In work

Termékcsalád adatlap

¹⁾ All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value



P PIN 30 2.6 W/827 G9



PARATHOM LED PIN 420 W/827 G9



300 W/827 G9



PARATHOM LED PIN 480 W/827 G9

Használati tanácsok

További részletes alkalmazási információkat és grafikákat a termék adatlapján talál.

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Termékcsalád adatlap

Logisztikai adatok

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méretek (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4058075626041	P PIN 30 2.6 W/827 G9	Karton 20	150 mm x 122 mm x 77 mm	1.41 dm ³	246.00 g
4058075626072	PARATHOM LED PIN 420 W/827 G9	Karton 20	150 mm x 122 mm x 77 mm	1.41 dm ³	296.00 g
4058075622890	300 W/827 G9	Karton 20	150 mm x 122 mm x 77 mm	1.41 dm ³	286.00 g
4058075622234	PARATHOM LED PIN 480 W/827 G9	Karton 20	150 mm x 122 mm x 77 mm	1.41 dm ³	366.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further products and actual information concerning LED lamps see

- ▶ www.osram.hu/led-lampak

For Guarantee see <https://>

- ▶ www.inventronics-light.com/multilevel-guarantees

Lemondás

A változtatás jogát fenntartjuk. Hibák és mulasztások kizárva. Mindig győződjön meg arról, hogy a legújabb kiadást használja.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany