
# **OSRAM**

# LEDambient TUNING LIGHTS

Infrared-controlled styling lights





Remote control

Simple and intuitive via a 24-button wireless remote control



Multicolor

With over16 different light colors, brightness levels, as well as five different operating modes to choose from



# Individual car interior styling with flexible LED strips

With the LEDambient TUNING LIGHTS you can design your vehicle interior to your personal taste. The flexible LED strips come in over 16 different light colors and brightness levels, as well as five different operating modes. The lighting can thus be arranged to individual preference to create the desired mood. The LEDambient TUNING LIGHT can be quickly and easily fitted using the self-adhesive LED strips. Very practical: The desired color mood can be selected easily by remote control. The product is available in a BASE KIT and EXTENSION KIT version. With the help of the extension kit and using the supplied cable as well as the 12 volt car adapter, the installation is made even easier. Technically skilled drivers can also wire the TUNING LIGHT directly from the vehicle circuit board, leaving the cigarette lighter power socket free. OSRAM provides a 2 year guarantee for this product. INTERIOR ONLY. These

# Product family datasheet

products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

# Product family datasheet

## Technical data

	General Product Information	Electrical Data	Physical Attributes & Dimensions	
Product description	Global order reference	Nominal wattage	Height	Width
LEDambient TUNING LIGHTS	LEDINT201	1 W	3.50 mm	10.0 mm
LEDambient TUNING LIGHTS	LEDINT202	1.00 W	3.50 mm	10.0 mm

			Lifetime Data	Additional product data
Product description	Length	Product weight	Guarantee	Connector to lamp
LEDambient TUNING LIGHTS	305.0 mm	240.00 g	2 years	Wire Kit
LEDambient TUNING LIGHTS	305.0 mm	81.00 g	2 years	Cigarette Lighter

	Capabilities	Certificates & standards	Logistical data	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)
Product description	Technology	Standards	Commodity code	Primary article identifier
LEDambient TUNING LIGHTS	LED	CE	85122000900	4052899444331   4052899933576   4052899443204   4052899248809
LEDambient TUNING LIGHTS	LED	CE	85122000900	4052899443266   4052899933590

Product description	Candidate list substance 1	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
LEDambient TUNING LIGHTS	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	5b70db8a-8a0f- 457b-8e2f- aac4ea49b7dd   187182ef-d861- 4773-a9a2- c617cb8d4b17   b79f22de-3669-4f8a- 8702-5674a540aea5
LEDambient TUNING LIGHTS	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	caac473f-9253-4be4- aa92-0f6f5f9fd941   552ff584-e593-4f09- 985f-b2cace7faeb3

# Product family datasheet

### Equipment / Accessories

- Two self-adhesive LED strips with a length of 30.5 cm each included
- Two cables with a length of 7.6 cm each included
- Two-way splitter included
- Car adapter (12 V) for the cigarette lighter included

#### Download Data

	File
Z	User instruction LEDambient TUNING LIGHTS BASE KIT User manual
大	User instruction GPRS_Safety symbols instructions
D	Video LEDambient TUNING LIGHTS: Installation tutorial
Z	User instruction LEDambient TUNING LIGHTS EXTENSION KIT LEDINT202 User manual

#### **References / Links**

Guarantee terms are available at www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.