

PL-BAR-G3 3000-850 280X55

PrevaLED Bar G3 | Area and Bar Light Engines



A termék jellemzői

- Available with color temperature: 3,000 K, 4,000 K
- CE marked

Alkalmazási területek

- Industry



Termék adatlap

Műszaki adatok

Elektromos adatok

Névleges feszültség	33.3 V
Névleges áram	0.7 A
Áram típusa	DC

Fotometriai adatok

Luminous efficacy	153 lm/W
Színvisszaadási index	80


Fénytechnikai adatok

Gyújtási idő	< 0.1 s
Bemelegedési idő	< 2.00 s

LED modul információ

LED-ek száma / modul	33
----------------------	----

Méretetek és súly



Termék súlya	50.30 g
Hosszúság	280.0 mm
Szélesség	55.0 mm
Magasság	5.00 mm

Hőmérséklet és működési feltételek

Működési hőmérséklet IEC 62717 szerint	55 °C
Hőmérséklet-tartomány működéskor	-20...75 °C
Max. hőmérséklet a tc mérőponton	75 °C
Hőmérséklet-tartomány tároláskor	-30...85 °C

Termék adatlap

Élettartam

Kapcsolási ciklusok száma	100000
---------------------------	--------

Tanúsítványok és szabványok

Szabványok	CE/ENEC
------------	---------

Logisztikai adatok

Commodity code	85414100000
----------------	-------------

Környezetvédelmi információk

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4052899999466
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained



484525_5 Year Osram Guarante
(GB)

Download Data

File	
	Certificates PL ENEC 40031612 250723
	Declarations of conformity PL BAR G3 CE 3713512 160623

Termék adatlap

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logisztikai adatok

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méreték (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4052899999466	PL-BAR-G3 3000-850 280X55	Karton 60	300 mm x 306 mm x 225 mm	20.66 dm ³	3288.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Lemondás

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.