

HMI DIGITAL 400 W

HMI DIGITAL | Fémhalogén lámpák, egy végén fejezt



Alkalmazási területek

- Studio
- Stage
- TV

A termék előnyei

- Suited for both analog and digital film production
- Robust stems, resulting in less breakage during transport
- Round moly-foil construction that evenly distributes heat and current extends for lamp longevity (6,000-18,000 W)
- Splash-proof carrying case is re-usable and allows lamps to be transported safely (6,000-18,000 W)

A termék jellemzői

- High CRI of >90
- UV-Stop (UVS)
- Color temperature of 6,000 K (daylight)
- Extremely bright light of up to 100 lumens/watt
- Hot restart capability

Műszaki adatok

Elektromos adatok

Névleges teljesítmény	40000 W
Névleges feszültség	750 V
Névleges áram	53 A

Fotometriai adatok

Névleges fényáram	32500 lm
Színhőmérséklet	6700 K
Színvisszaadási index	90

Méretetek és súly

Átmérő	2300 mm
Hosszúság	1100 mm

Élettartam

Élettartam	650 h
------------	-------

További termékadatok

Lámpafej (szabványos megjelölés)	GZY9.5
----------------------------------	--------

Környezetvédelmi információk

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4052899984127
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Termék adatlap

Biztonsági tanács

Because of their high luminance, UV radiation and high internal pressure during operation, HMI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

Logisztikai adatok

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méretek (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4052899984127	HMI DIGITAL 400 W	Folding Box 1	46 mm x 46 mm x 143 mm	0.30 dm ³	54.00 g
4052899984165	HMI DIGITAL 400 W	Karton 10	245 mm x 105 mm x 165 mm	4.24 dm ³	612.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Lemondás

A változtatás jogát fenntartjuk. Hibák és mulasztások kizárva. Mindig győződjön meg arról, hogy a legújabb kiadást használja.