

HMI DIGITAL 6000 W

HMI DIGITAL | Fémhalogén lámpák, egy végén fejezt



Alkalmazási területek

- Studio
- Stage
- TV

A termék előnyei

- Suited for both analog and digital film production
- Robust stems, resulting in less breakage during transport
- Round moly-foil construction that evenly distributes heat and current extends for lamp longevity (6,000-18,000 W)
- Splash-proof carrying case is re-usable and allows lamps to be transported safely (6,000-18,000 W)

A termék jellemzői

- High CRI of >90
- UV-Stop (UVS)
- Color temperature of 6,000 K (daylight)
- Extremely bright light of up to 100 lumens/watt
- Hot restart capability



Műszaki adatok

Elektromos adatok

Névleges teljesítmény	600000 W
Névleges feszültség	123 V
Névleges áram	55 A

Fotometriai adatok

Névleges fényáram	600000 lm
Színhőmérséklet	6000 K
Színvisszaadási index	90

Méretetek és súly

Átmérő	7500 mm
Hosszúság	3600 mm

Élettartam

Élettartam	500 h
------------	-------

További termékadatok

Lámpafej (szabványos megjelölés)	GX38
----------------------------------	------

Környezetvédelmi információk

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4062172005890
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	7c5a8266-8f2a-43a1-95b8-5931d68b0df1

Termék adatlap

Biztonsági tanács

Because of their high luminance, UV radiation and high internal pressure during operation, HMI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

Logisztikai adatok

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méretek (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4062172005890	HMI DIGITAL 6000 W	Karton 1	715 mm x 240 mm x 240 mm	41.18 dm ³	2211.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Lemondás

A változtatás jogát fenntartjuk. Hibák és mulasztások kizárva. Mindig győződjön meg arról, hogy a legújabb kiadást használja.