

# Termék adatlap

## P RF CLAS P DIM 280 W/827 E27

PARATHOM Retrofit CLASSIC P DIM | Dimmable LED lamps, classic bulb shape



- Perfect for decorative installations Domestic applications  
General illumination Outdoor use in outdoor luminaires  
only (minimum IP65)

- Design, dimensions, luminous flux comparable to an incandescent lamp Very low energy consumption Robust against vibrations Lamps with innovative LED "filament" technology Instant 100 % light, no warm-up time Can be easily fitted instead of ordinary light bulbs



# Termék adatlap

## Műszaki adatok

### Elektromos adatok

|                                                    |            |
|----------------------------------------------------|------------|
| ZLDV_Operating frequency [AGGR]                    | 50...60 Hz |
| ZLDV_Nominal current [AGGR]                        | 13 mA      |
| ZLDV_Claimed equiv. conventional lamp power [AGGR] | 25 W       |


### Fotometriai adatok

|                                       |            |
|---------------------------------------|------------|
| ZLDV_Light color (designation) [AGGR] | Warm White |
| ZLDV_Luminous flux [AGGR]             | 250 lm     |

### Fénytechnikai adatok

|                        |       |
|------------------------|-------|
| ZLDV_Beam angle [AGGR] | 320 ° |
|------------------------|-------|

### Méreték és súly



|                            |          |
|----------------------------|----------|
| ZLDV_Overall length [AGGR] | 77.00 mm |
| ZLDV_Product weight [AGGR] | 18.00 g  |

### Hőmérséklet és működési feltételek

|                                       |              |
|---------------------------------------|--------------|
| ZLDV_Ambient temperature range [AGGR] | -20...+40 °C |
|---------------------------------------|--------------|

### Élettartam

|                                                      |     |
|------------------------------------------------------|-----|
| ZLDV_Lumen maintenance at end of service life [AGGR] | 0.7 |
|------------------------------------------------------|-----|

### További termékadatok

|                              |         |
|------------------------------|---------|
| ZLDV_Mercury content [AGGR]  | 0.0 mg  |
| ZLDV_Mercury-free [AGGR]     | Yes     |
| ZLDV_Design / version [AGGR] | Frosted |
| Ártalmatlanítás WEEE szerint | Yes     |

Termék adatlap

|                            |                                                                                                               |
|----------------------------|---------------------------------------------------------------------------------------------------------------|
| ZLDV_Product remark [AGGR] | Dimmable (with many common dimmers, see also <a href="http://www.ledvance.com/dim">www.ledvance.com/dim</a> ) |
|----------------------------|---------------------------------------------------------------------------------------------------------------|

Tanúsítványok és szabványok

|                                     |                |
|-------------------------------------|----------------|
| ZLDV_Energy efficiency class [AGGR] | F              |
| ZLDV_Energy consumption [AGGR]      | 3.00 kWh/1000h |

Környezetvédelmi információk

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |               |
|-----------------------------------------------------------------------|---------------|
| Date of Declaration                                                   | 18-04-2022    |
| Primary Article Identifier                                            | 4058075590816 |
| Declaration No. in SCIP database                                      | In work       |

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logisztikai adatok

| Termékkód     | Termékmegnevezés              | Csomagolás (darab/egység)       | Méretek (hosszúság x szélesség x magasság) | Térfogat             | Bruttó súly |
|---------------|-------------------------------|---------------------------------|--------------------------------------------|----------------------|-------------|
| 4058075590816 | P RF CLAS P DIM 280 W/827 E27 | Karton<br>10 Pieces Folding Box | 240 mm x 101 mm x 108 mm                   | 2.62 dm <sup>3</sup> | 338.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Lemondás

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany