

Termékcsalád adatlap

OSRAM DULUX L LED HF

Special LED lamps



- Offices, public buildings Shops Hotels, restaurants
Industry Outdoor applications only in suitable luminaires

- Quick, simple and safe replacement Simple replacement thanks to similar design as conventional compact fluorescent lamps
Low energy consumption Operation directly on 230 V AC mains possible



Műszaki adatok


Termékmegnevezés	Elektromos adatok			Fotometriai adatok	Fénytechnikai adatok	Méretek és súly	
	ZLDV_Operating frequency [AGGR]	ZLDV_Claimed equiv. conventional lamp power [AGGR]	ZLDV_Nominal current [AGGR]	ZLDV_Light color (designation) [AGGR]	ZLDV_Beam angle [AGGR]	ZLDV_Overall length [AGGR]	ZLDV_Product weight [AGGR]
DULUX L LED HF 1800 W/840 2G11 ¹⁾	50/60 Hz	36 W	79 mA	Cool White	140 °	417.00 mm	134.00 g
DULUX L LED HF 800 W/830 2G11 ¹⁾	50/60 Hz	18 W	38 mA	Warm White	140 °	230.00 mm	82.00 g
DULUX L LED HF 800 W/840 2G11 ¹⁾	50/60 Hz	18 W	38 mA	Cool White	140 °	230.00 mm	82.00 g
DULUX L LED HF 1800 W/830 2G11 ¹⁾	50/60 Hz	36 W	79 mA	Warm White	140 °	417.00 mm	134.00 g

Termékmegnevezés	Hőmérséklet és működési feltételek	Élettartam	További termékadatok	Tanúsítványok és szabványok		Környezetvédelmi információk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	ZLDV_Ambient temperature range [AGGR]	ZLDV_Lumen maintenance at end of service life [AGGR]	ZLDV_Mercury-free [AGGR]	ZLDV_Energy efficiency class [AGGR]	ZLDV_Energy consumption [AGGR]	Date of Declaration	Primary Article Identifier
DULUX L LED HF 1800 W/840 2G11 ¹⁾	-20...+50 °C	0.7	Yes	E	18.00 kWh/1000h	18-04-2022	4058075135420 4058075557833
DULUX L LED HF 800 W/830 2G11 ¹⁾	-20...+50 °C	0.7	Yes	E	8.00 kWh/1000h	18-04-2022	4058075557390
DULUX L LED HF 800 W/840 2G11 ¹⁾	-20...+50 °C	0.7	Yes	E	8.00 kWh/1000h	18-04-2022	4058075557499
DULUX L LED HF 1800 W/830 2G11 ¹⁾	-20...+50 °C	0.7	Yes	E	18.00 kWh/1000h	18-04-2022	4058075135406 4058075557772

Termékmegnevezés	Declaration No. in SCIP database
DULUX L LED HF 1800 W/840 2G11 ¹⁾	In work
DULUX L LED HF 800 W/830 2G11 ¹⁾	In work
DULUX L LED HF 800 W/840 2G11 ¹⁾	In work
DULUX L LED HF 1800 W/830 2G11 ¹⁾	In work

Termékcsalád adatlap

1) All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value



DULUX L LED HF 1800 W/840 2G11,
DULUX L LED HF 1800 W/830 2G11

DULUX L LED HF 800 W/830 2G11,
DULUX L LED HF 800 W/840 2G11

Használati tanácsok

További részletes alkalmazási információkat és grafikákat a termék adatlapján talál.

Termékcsalád adatlap

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logisztikai adatok

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méretek (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4058075557833	DULUX L LED HF 1800 W/840 2G11	Karton 10	470 mm x 243 mm x 74 mm	8.45 dm ³	2288.00 g
4058075557390	DULUX L LED HF 800 W/830 2G11	Karton 10	286 mm x 243 mm x 74 mm	5.14 dm ³	1448.00 g
4058075557499	DULUX L LED HF 800 W/840 2G11	Karton 10	286 mm x 243 mm x 74 mm	5.14 dm ³	1448.00 g
4058075557772	DULUX L LED HF 1800 W/830 2G11	Karton 10	470 mm x 243 mm x 74 mm	8.45 dm ³	2288.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Lemondás

A változtatás jogát fenntartjuk. Hibák és mulasztások kizárva. Mindig győződjön meg arról, hogy a legújabb kiadást használja.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany