#### Product family datasheet

# **BATTERYjumpstart 500**



Starts completely depleted batteries New Boost function allows user to restart vehicles with depleted batteries



Powerful Lithium Battery Starts up to 3-liter petrol and 1.5-liter diesel vehicles



OSRAM

USB Power Pack Charges phones and other devices via the built in USB port



## Powerful and safe jumpstarting for 12V vehicles with integrated USB charging and enhanced safety features

The OSRAM BATTERYjumpstart 500 can jump-start vehicles with engines up to 3L Petrol or 1.5L Diesel. It's suitable for most 12V cars, vans, SUVs, and LCVs. The boost function enables jump-starting of completely depleted batteries. The unique ergonomic smart clamp connection features longer cables for better accessibility in hard-toreach areas. Safety features include reverse polarity protection, anti-spike protection, and short circuit protection, with audible and LED indicators. An integrated torch illuminates the work area, and LED indicators show the current battery level. The unit includes a USB-C port for recharging and a USB-A output for charging devices like tablets and phones.

### Product family datasheet

#### Technical data

|  | Product information                            |   |   | General Product<br>Information |
|--|--|---|---|--------------------------------|
| Product description                      | Application (Category<br>and Product specific) | Recommended Diesel<br>Engine size (up to) | Recommended Petrol<br>Engine size (up to) | Global order<br>reference      |
| BATTERYjumpstart 500                     | Lithium Starter                                | 1.5 l                                     | 31  | OJS010                         |
|  | Electrical Data                                | Physical Attributes & D                   | oimensions                                |                                |
| Product description                      | Boost-Function (start<br>batteries from 0V)    | Height                                    | Width                                     | Length                         |
|  |  |   |   |                                |
| BATTERYjumpstart 500                     | Yes  | 94.0 mm                                   | 42.0 mm                                   | 254.0 mm                       |
| BATTERYjumpstart 500                     | Environmental & Regu                           |   |   |                                |
| BATTERYjumpstart 500 Product description | Environmental & Regu                           | latory Information                        |   |                                |

#### Product family datasheet

#### Download Data

|   | File   |
|---|--|
| * | Brochures<br>BATTERYjumpstart 500/1000 Lithium Starter |

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.