OSRAM

BATTERYjumpstart 1000TI





Powerful lithium-ion jump starter with boost function Jump-start 12V vehicles with petrol engines up to 5 liters and diesel engines up to 3 liters, even when the battery is completely depleted



Integrated cordless tyre inflator Check and inflate tyres on

the go with the auto-stop tyre inflator



Powerful work light

LED torch enables use in dark conditions with a bright white light with included red blink and SOS functions



Power on the go

15V cigarette lighter socket and integrated USB power bank



Efficient jump-starting for 12V vehicles with built-in tyre inflator

Be ready for various situations on the road with the OSRAM BATTERYjumpstart 1000TI.

This compact, multi-functional device includes five useful tools in one, providing essential support in emergencies. Its powerful jump-start feature is capable of bringing 12V vehicles back to life, including petrol engines up to 5 liters and diesel engines up to 3 liters. Even if your battery is completely depleted, the boost function provides the extra power needed to get you moving.

Need to keep your tyres in check? The built-in tyre inflator features a digital pressure gauge and auto stop function for easy, accurate inflation. The 12V socket lets you power a

range of devices via the cigarette lighter, while the USB power bank ensures you can charge your phone or other gadgets wherever you are.

For added safety and convenience, the OSRAM BATTERYjumpstart 1000TI includes a powerful torch to illuminate dark workspaces. In case of emergencies, the red blinking light and SOS mode ensure you're visible and can signal for help when needed.

Stay powered, safe, and ready for the road with the OSRAM BATTERYjumpstart 1000TI – your all-in-one companion for any roadside challenge.

Technical data

	Product information			
Product description	Inflation time	Recommended Petrol Engine size (up to)	Recommended Diesel Engine size (up to)	Application (Category and Product specific)
BATTERYjumpstart 1000TI	13 Inch Tyre: 0-35 PSI/2.4 BAR in 3.5 min	5 l	3 l	Lithium Starter & Tyre Inflator
	General Product Information	Electrical Data	Physical Attributes & D	Dimensions
Product description	Global order reference	Boost-Function (start batteries from 0V)	Length	Width
BATTERYjumpstart 1000TI	OJS020TI	Yes	115.0 mm	54.0 mm
		Environmental & Regu Information according (REACh)	latory Information Art. 33 of EU Regulation	(EC) 1907/2006
Product description	Height	Candidate list substance 1	CAS No. of substance 1	Safe use instruction
BATTERYjumpstart 1000TI	191.0 mm	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the

Product description	Declaration no. in SCIP database
BATTERYjumpstart 1000TI	71ad732d-61b0- 475f-a9df-
	5fafc30d8e2f

Download Data

	File
74	Brochures BATTERYjumpstart 1000TI Jump Starter and Tyre Inflator

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.