


LEDinspect POCKET 110 ESSENTIAL



110 Lumen output

Uniformed wide beam of bright white light to help illuminate workspaces



Flexible mounting options

Use the built-in magnets or integrated swivel clip to enable hands free use



Compact, powerful lighting for any workspace

Brighten your workspace with the OSRAM LEDinspect POCKET 110 ESSENTIAL lamp. Designed for both professionals and DIY enthusiasts, this inspection lamp features a high-power COB LED to provide a wide, bright beam ideal for vehicle maintenance, garage work, and inspections.

With a convenient swivel clip and magnetic base, you can position the lamp hands-free, making it easy to work in tight or hard-to-reach spaces. The compact and lightweight design ensures easy handling and storage. Whether you're working under the hood or in a dark corner, the OSRAM LEDinspect POCKET 110 ESSENTIAL lamp ensures you never have to struggle with poor lighting.

Product family datasheet

Technical data

| | | | | | |
|---------------------|---|---|-----------------------------|--|----------------------------------|
| | Product information | | General Product Information | Electrical Data | |
| Product description | Application (Category and Product specific) | | Global order reference | Nominal wattage | Nominal voltage |
| INSPECTION LAMP | LED inspection lights | | LEDIL425ESN | 3 W | 4.5 V |
| | Photometric Data | | | | Physical Attributes & Dimensions |
| Product description | Color temperature | | Nominal luminous flux | Light color LED | Product weight |
| INSPECTION LAMP | 6500 K | | 110 lm | White | 62.00 g |
| | | | | | Lifetime Data |
| Product description | Length | Width | Height | Guarantee | |
| INSPECTION LAMP | 30.0 mm | 20.0 mm | 168.0 mm | 2 years | |
| | Capabilities | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | | |
| Product description | Technology | Candidate list substance 1 | CAS No. of substance 1 | Safe use instruction | |
| INSPECTION LAMP | LED | Lead | 7439-92-1 | The identification of the Candidate List substance is sufficient to allow safe use of the article. | |
| | | | | | |
| Product description | Declaration no. in SCIP database | | | | |
| INSPECTION LAMP | cc8d56ce-bf2e-43ef-882b-1b057533289b | | | | |

Product family datasheet

Download Data

| File | |
|---|--|
|  | User instruction GPRS_Safety symbols instructions |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.