

BATTERYcharge 901




Start/Stop compatible

Suitable for vehicles with Start/Stop system



Winter mode

Protects batteries in cold temperatures



2-year OSRAM Guarantee

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Smart battery charger and maintainer with multi-stage charging cycle

The OSRAM BATTERYcharge 901 is a 1A smart charger and battery maintainer for 6V and 12V vehicles including motorbikes and most smaller vehicles. 7 stage charging cycle at the touch of a button for Lithium batteries with only a 9-stage cycle of Lead Acid/AGM batteries. Connect and be sure that the battery charger is charging and maintaining your vehicle battery as it automatically adjusts to long-term maintenance mode when battery is full. Includes a digital display to make the charging process easier and a host of safety features including reverse polarity and short-circuit protection. In addition, OSRAM provides a 2-year guarantee on this product*

Product family datasheet

Technical data



Product description	Product information	Electrical Data		
	Application (Category and Product specific)	Charge Rate (Up to)	Maintainance Charge (up to)	Max battery capacity
BATTERY charge 901	Smart battery charger	1.0 A	1.0 A	25 Ah

Product description	Min battery capacity	Physical Attributes & Dimensions		
		Length	Width	Height
BATTERY charge 901	n/a	110.0 mm	40.0 mm	55.0 mm

Product description	Dimensions & weight		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Power Cable Length	Clamps Cable Length	Candidate list substance 1	CAS No. of substance 1
BATTERY charge 901	1.25 m	1.25 m + 0.3 m	Lead	7439-92-1

Product description	Safe use instruction	Declaration no. in SCIP database
BATTERY charge 901	The identification of the Candidate List substance is sufficient to allow safe use of the article.	c2972d61-7b43-4849-8617-fbf479892cae

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	User instruction BATTERYcharge

Legal advice

*for precise conditions please refer to:

www.osram.com/am-guaranteeApplication advice:

For more detailed application information and graphics please see product datasheet and user instruction.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.