


## PL-BRICK HP-Z2 1000 740 2X2 SSG

PrevaLED BRICK HP Z2 SSG | LED modules for industry and outdoor applications

### A termék jellemzői

- Module efficacy: up to 186 lm/W
- Available with color temperature: 2,200 K, 2,700 K, 3,000 K and 4000 K



### Alkalmazási területek

- Street lighting
- Industry
- Area lighting



Műszaki adatok

Elektromos adatok

|                                      |               |
|--------------------------------------|---------------|
| Névleges áram                        | 07 A          |
| Áram típusa                          | DC            |
| On-mode power [AGGR]                 | 8.10 W        |
| Energy consumption in on-mode [AGGR] | 8.1 kWh/1000h |

Fotometriai adatok

|                                                 |          |
|-------------------------------------------------|----------|
| Luminous efficacy                               | 173 lm/W |
| Színvisszaadási index                           | 70       |
| Correlated color temperature CCT [AGGR]         | 4000 K   |
| Colour consistency (McAdam ellipses) [AGGR]     | 5        |
| Useful luminous flux (Φ <sub>use</sub> ) [AGGR] | 1335 lm  |

Fénytechnikai adatok

|            |     |
|------------|-----|
| Beam angle | 0 ° |
|------------|-----|

Méretek és súly

|                     |         |
|---------------------|---------|
| Termék súlya        | 1500 g  |
| Length EPREL [AGGR] | 70.6 mm |
| Width EPREL [AGGR]  | 49.5 mm |

Hőmérséklet és működési feltételek

|                                  |             |
|----------------------------------|-------------|
| Hőmérséklet-tartomány tároláskor | -30...85 °C |
|----------------------------------|-------------|

Élettartam

|                                     |    |
|-------------------------------------|----|
| Lumen maintenance factor LMF [AGGR] | 96 |
|-------------------------------------|----|

További termékadatok

|                                 |     |
|---------------------------------|-----|
| Lighting technology used [AGGR] | LED |
|---------------------------------|-----|

Képességek

|            |     |
|------------|-----|
| Dimmelhető | Yes |
|------------|-----|

Tanúsítványok és szabványok

|                                |         |
|--------------------------------|---------|
| Védettség típusa               | IP20    |
| Szabványok                     | CE/ENEC |
| Energy efficiency class [AGGR] | D       |

Logisztikai adatok

|                |             |
|----------------|-------------|
| Commodity code | 85395100000 |
|----------------|-------------|

Környezetvédelmi információk

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |
|-----------------------------------------------------------------------|------------------------------------|
| Date of Declaration                                                   | 20-12-2022                         |
| Primary Article Identifier                                            | 4062172255981                      |
| Candidate List Substance 1                                            | No declarable substances contained |
| Declaration No. in SCIP database                                      | No declarable substances contained |

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logisztikai adatok

| Termékkód     | Termékmegnevezés                   | Csomagolás (darab/egység) | Méreték (hosszúság x szélesség x magasság) | Térfogat             | Bruttó súly |
|---------------|------------------------------------|---------------------------|--------------------------------------------|----------------------|-------------|
| 4062172255981 | PL-BRICK HP-Z2 1000<br>740 2X2 SSG | Karton<br>120             | 345 mm x 177 mm x 147 mm                   | 8.98 dm <sup>3</sup> | 2087.00 g   |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Lemondás

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.